

OEM	Specification	Coating Material	Parts	Salt Spray (Hours)	Typical Thickness (microns)	Color	Basecoat	Topcoat	Friction Characteristics per ISO16047 Plain steel nut; HL Steel Washer	Industry	Heat Resistance (do not use)
AGCO	75100300	Magni 501	Fasteners	240	8-10µm	Black, Silver, Gold	BT48	none	0.18+/-0.03	Industrial	430° C
Aisin	AESTH7702G-D (565)	Magni 565	Threaded Fasteners, Stamping and other Hardware	1000	14-20 µ	Silver/Grey	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
Aisin	AESTH7702G-DH (568 CC)	Magni 568	Threaded Fasteners, Stamping and other Hardware	1500	14-20 µ	Silver	B06JA (2x)	B18CC	0.24 +/- 0.03	Automotive, Industrial	250° C
Aisin	AESTH7702G-DG (568 Black)	Magni 568	Threaded Fasteners, Stamping and other Hardware	1500	14-20 µ	Light Red	B06JA (2x)	B18LT	0.11 +/- 0.03	All Markets	250° C
Aisin	AESTH7702G-DM (568 LT)	Magni 568	Threaded Fasteners, Stamping and other Hardware	1500	14-20 µ	Black	B06JA (2x)	B37NT	0.24 +/- 0.03	Automotive, Industrial	250° C
AM General	TACOM12469117	Magni 560	Threaded Fasteners, Stamping and other Hardware	1000	5-8 µ topcoat, 6-10 µ basecoat	Silver/Gray	Zinc plate with Trivalent chrome	B18	0.15 +/- 0.03	All Markets	250° C
AM General	TACOM12469117	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
Amonix	90400026	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
ASTM	A3125	Magni 554	Threaded Fasteners, Stamping and other Hardware	720-1000	13-18 µ	Silver	B06JA	B54	0.12 +/- 0.03	All Markets	250° C
ASTM	A490	Magni 554	Threaded Fasteners, Stamping and other Hardware	720-1000	13-18 µ	Silver	B06JA	B54	0.12 +/- 0.03	All Markets	250° C
ASTM	A325	Magni 554	Threaded Fasteners, Stamping and other Hardware	720-1000	13-18 µ	Silver	B06JA	B54	0.12 +/- 0.03	All Markets	250° C
ASTM	A490	Magni 556	Threaded Fasteners, Stamping and other Hardware	1500	14 µ	Silver/Blue	B06JA (2x)	B54	0.12 +/- 0.03	All Markets	250° C
ASTM	A325	Magni 556	Threaded Fasteners, Stamping and other Hardware	1500	14 µ	Silver/Blue	B06JA (2x)	B54	0.12 +/- 0.03	All Markets	250° C
ASTM	A3125	Magni 556	Threaded Fasteners, Stamping and other Hardware	1500	14 µ	Silver/Blue	B06JA (2x)	B54	0.12 +/- 0.03	All Markets	250° C
ASTM	F2833 Grade I, A490	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ plated basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
ASTM	F2833 Grade 2	Magni 567	Threaded Fasteners, Stamping and other Hardware	1500	12 µ	Silver/Gray, Green	B06JA	B18	0.15 +/- 0.03	All Markets	200° C
ASTM	F2833 Grade 3	Magni 575	Threaded Fasteners, Stamping and other Hardware	480-1000	12-20 µ	Black	D21	B37 (2x)	0.13 +/- 0.03	Automotive, Industrial	200° C
ASTM	F2833 Grade 4	Magni 594	Threaded Fasteners, Stamping and other Hardware	720-1000	12-20 µ	Silver	B06JA	T06	0.12 +/- .03	Automotive	250° C
BMW	GS90010 ZnS3	Magni 594	Threaded Fasteners, Stamping and other Hardware	720-1000	12-20 µ	Silver	B06JA	T06	0.12 +/- .03	Automotive	250° C
Bobcat	PS-106B	Magni 501	Threaded Fasteners, Stamping and other Hardware	240	8 µ min	Black	BT48	B37N	0.18 +/- 0.03	Automotive, Industrial, Construction	430° C
Bobcat	PS-106A	Magni 501	Threaded Fasteners, Stamping and other Hardware	240	8 µ min	Silver/Gray	BT48	None	0.18 +/- 0.03	Automotive, Industrial, Construction	430° C

Bobcat	PS-106A	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18N	0.19 +/- 0.03	All Markets	250° C
Bobcat	PS-106B	Magni 575	Threaded Fasteners, Stamping and other Hardware	480-1000	12-20 µ	Black	D21	B37N (2x)	0.18 +/- 0.03	Automotive	0
Briggs and Stratton		Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06J or B46	B18	0.15 +/- 0.03	All Markets	250° C
Brose	BN590295-106	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06J or B46	B18	0.15 +/- 0.03	All Markets	250° C
Case New Holland	MAT0320, Type 2, Class A	Magni 560	Threaded Fasteners, Stamping and other Hardware	1000	5-8 µ topcoat, 6-10 µ basecoat	Silver/Gray	Zinc plate with Trivalent chrome	B18	0.15 +/- 0.03	All Markets	250° C
Case New Holland	MAT0320, Type 1, Class A	Magni 565	Threaded Fasteners, Stamping and other Hardware	720-1000	5-8 µ topcoat, 8-10 µ plated basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
Caterpillar	1E1675G	Magni 554	Threaded Fasteners, Stamping and other Hardware	720-1000	13-18 µ	Silver	B06JA	B54	0.12 +/- 0.03	All Markets	250° C
Caterpillar	1E1675G	Magni 556	Threaded Fasteners, Stamping and other Hardware	1500	14 µ	Silver/Blue	B06JA (2x)	B54	0.12 +/- 0.03	All Markets	250° C
Cummins Engine	74045	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
Daihatsu	DTSH7702G-D (568)	Magni 565	Threaded Fasteners, Stamping and other Hardware	1000	14-20 µ	Silver/Grey	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
Daihatsu	DTSH7702G-DH (568 CC)	Magni 568	Threaded Fasteners, Stamping and other Hardware	1500	14-20 µ	Silver	B06JA (2x)	B18CC	0.24 +/- 0.03	All Markets	250° C
Daihatsu	DTSH7702G-DG (568 Black)	Magni 568	Threaded Fasteners, Stamping and other Hardware	1500	14-20 µ	Light Red	B06JA (2x)	B18LT	0.11 +/- 0.03	All Markets	250° C
Daihatsu	DTSH7702G-DM (568 LT)	Magni 568	Threaded Fasteners, Stamping and other Hardware	1500	14-20 µ	Black	B06JA (2x)	B37NT	0.24 +/- 0.03	All Markets	250° C
Daimler-Benz	DBL 8451.69	Magni 560	Threaded Fasteners, Stamping and other Hardware	1000	5-8 µ topcoat, 6-10 µ basecoat	Silver/Gray	Zinc plate with Trivalent chrome	B18	0.15 +/- 0.03	All Markets	250° C
Daimler-Benz	DBL 8440.20	Magni 565	Threaded Fasteners, Stamping and other Hardware	960 hours	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
Delphi	DX550041	Magni 511	Threaded Fasteners, Stamping and other Hardware	480	13-18 µ	Silver	B06JA	P04A	0.15 +/- 0.03	Automotive, Industrial	250° C
Delphi	DX551801, DX5501804	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ plated basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
Delphi	DX551803	Magni 575	Threaded Fasteners, Stamping and other Hardware	480-1000	12-20 µ	Black	D21	B37 (2x)	0.13 +/- 0.03	0	0
Denso	DDS6700-008 DF3-BT	Magni 565	Threaded Fasteners, Stamping and other Hardware	1000	14-20 µ	Silver/Grey	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
Denso	DDS6700-008 DF4-BT	Magni 568	Threaded Fasteners, Stamping and other Hardware	1500	14-20 µ	Silver/Grey	B06JA (2x)	B18	0.15 +/- 0.03	All Markets	250° C
Dometic	12-67 E2	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
FCA	PS-7626	Magni 511	Threaded Fasteners, Stamping and other Hardware	480	13-18 µ	Silver	B06JA	P04A	0.15 +/- 0.03*	Automotive, Industrial	250° C
FCA	9.57513	Magni 554	Threaded Fasteners, Stamping and other Hardware	480-1000	12-20 µ	Black	D21	B37 (2x)	0.13 +/- 0.03	All Markets	250° C

FCA	PS-11036 (type 2)	Magni 554	Threaded Fasteners, Stamping and other Hardware	720-1000	13-18 µ	Silver	B06JA	B54	0.12 +/- 0.03	All Markets	250° C
FCA	PS-11036 (Type 3)	Magni 556	Threaded Fasteners, Stamping and other Hardware	1500	14 µ	Silver/Blue	B06JA (2x)	B54	0.12 +/- 0.03	All Markets	250° C
FCA	PS-9295	Magni 560	Threaded Fasteners, Stamping and other Hardware	1000	5-8 µ topcoat, 6-10 µ basecoat	Silver/Gray	Zinc plate with trivalent chrome	B18	0.15 +/- 0.03	All Markets	250° C
FCA	9.57513/Type IV	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
FCA	PS-10633, PS-10378	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ plated basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
FCA	PS-9666	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ plated basecoat	Silver/Gray/Pink	B06JA	B18LH	0.08 +/-0.02	All Markets	250° C
FCA	PS-11036	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ plated basecoat	Black	B06JA	B37	.12 +/- .03	All Markets	250° C
FCA	PS-9666	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ plated basecoat	Black	B06JA	B37L	.08 +/- .03	All Markets	250° C
FCA	PS-10378	Magni 575	Threaded Fasteners, Stamping and other Hardware	480-1000	12-20 µ	Black	D21	B37 (2x)	0.13 +/- 0.03	0	0
FCA	PS-10378	Magni 577	Threaded Fasteners, Stamping and other Hardware	480-1000	12-20 µ	Glossy Black	D21	B37 and E37	0.12 +/- 0.03	All Markets	350 - 600° C
FCA	9.57513 (Type IV and V)	Magni 590	Threaded Fasteners, Stamping and other Hardware	480	12-20 µ	Silver	D90	P06G	0.11 +/- 0.03*	Automotive	250° C
FCA	9.57513 (Type IV and V Black)	Magni 591	Threaded Fasteners, Stamping and other Hardware	480	12-20 µ	Black	D90	A04 (2x)	0.11 +/- 0.03	Automotive	250° C
FCA	PS-11036, 9.57513	Magni 594	Threaded Fasteners, Stamping and other Hardware	720-1000	12-20 µ	Silver	B06JA	T06	0.12 +/- .03	Automotive	250° C
Fisher Valve	FFS6B1 — NCF1	Magni 567	Threaded Fasteners, Stamping and other Hardware	1500	12 µ	Silver/Gray, Green	B06JA (2x)	B18	0.15 +/- 0.03	All Markets	200° C
Ford Motor Co.	WSD-M21P11-B1, WSS-M21P37-A2 (S441)	Magni 511	Threaded Fasteners, Stamping and other Hardware	480	13-18 µ	Silver	B06JA	P04A	0.15 +/- 0.03*	Automotive, Industrial	250° C
Ford Motor Co.	WSS-M21P40-A1/A2 (S440)	Magni 560	Threaded Fasteners, Stamping and other Hardware	1000	5-8 µ topcoat, 6-10 µ basecoat	Silver/Gray	Zinc plate with trivalent chrome	B18	0.15 +/- 0.03	All Markets	250° C
Ford Motor Co.	WSS-M21P37-A3 (S439 Black)	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	15-25 µ	Black	B06JA	B37	0.15 +/- 0.03	All Markets	250° C
Ford Motor Co.	WSS-M21P37-A1 (S439)	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
Ford Motor Co.	WSS-M21P37-A (S439 LH)	Magni 568	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA (2x)	B18LH	0.08 +/-0.02	All Markets	250° C
Ford Motor Co.	WSD-M21P11-B1	Magni 590	Threaded Fasteners, Stamping and other Hardware	480	12-20 µ	Silver	D90	P06G	0.11 +/- 0.03*	All Markets	250° C
Gamesa	GTS16016	Magni 565	Threaded Fasteners, Stamping and other Hardware	1000	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03 (test not required for validation)	All Markets, Industrial, Wind	250° C
General Electric	E00C12200	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ plated basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
General Electric	TS00001901	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ plated basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C

General Electric	F69A4	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ plated basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
General Motors	GM 7111M, GMW 14100	Magni 511	Threaded Fasteners, Stamping and other Hardware	480	15-20 µ	Silver	B06JA	P04A	0.15 +/- 0.03*	Automotive, Industrial	250° C
General Motors	GMW 4707, GMW 7113M	Magni 560	Threaded Fasteners, Stamping and other Hardware	1000	5-8 µ topcoat, 6-10 µ basecoat	Silver/Gray	Zinc plate with trivalent chrome	B18	0.15 +/- 0.03	All Markets	250° C
General Motors	GM 7114M, GMW 3359	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
General Motors	GMW 3359	Magni 575	Threaded Fasteners, Stamping and other Hardware	480-1000	12-20 µ	Black	D21	B37 (2x)	0.13 +/- 0.03	0	0
General Motors	GMW 4205	Magni 577	Threaded Fasteners, Stamping and other Hardware	480-1000	12-20 µ	Glossy Black	D21	B37 and E37	0.12 +/- 0.03	Automotive Filler Tubes	200° C
General Motors	GMW 14C-PT, GME 00255-F	Magni 590	Threaded Fasteners, Stamping and other Hardware	480	12-20 µ	Silver	D90	P06G	0.11 +/- 0.03*	All Markets	
General Motors	GMW 14C-PT, GME 00255-F	Magni 591	Threaded Fasteners, Stamping and other Hardware	480	12-20 µ	Black	D90	A04 (2x)	0.11 +/- 0.03	Automotive	250° C
Genie Lifts	GES 1326	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
Genie Terex	GES 1326	Magni 594	Threaded Fasteners, Stamping and other Hardware	720-1000	12-20 µ	Silver	B06JA	T06	0.12 +/- .03	All Markets	250° C
Hendrickson	26408-H9	Magni 511	Threaded Fasteners, Stamping and other Hardware	480	15-20 µ	Silver	B06JA	P04A	0.15 +/- 0.03*	Automotive, Industrial	250° C
Hino	HTSH7702G-DH (568 CC)	Magni 568	Threaded Fasteners, Stamping and other Hardware	1500	14-20 µ	Silver	B06JA (2x)	B18CC	0.24 +/- 0.03	Automotive, Industrial	200° C
Hino	HTSH7702G-DM (568 LT)	Magni 568	Threaded Fasteners, Stamping and other Hardware	1500	14-20 µ	Light Red	B06JA (2x)	B18LT	0.11 +/- 0.03	All Markets	200° C
Hino	HTSH7702G-DG (568 Black)	Magni 568	Threaded Fasteners, Stamping and other Hardware	1500	14-20 µ	Black	B06JA (2x)	B37NT	0.24 +/- 0.03	Automotive, Industrial	200° C
Honda	HES D2008-1	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
Honda	Magni 568 ("T5A") 5110Z-T5AAA-0000. Honda calls this Magni 568	Magni 568	Threaded Fasteners, Stamping and other Hardware	1500 Class 1	12-18 µ	Silver	B06JA (2x)	B18	0.15 +/- 0.03	Automotive	250° C
Honda	HES D2008-2C ("T2A") 9000Z-T2AA-A000 Honda calls this Magni 568 LH	Magni 568	Threaded Fasteners, Stamping and other Hardware	1500	12-18 µ	Light Red	B06JA (2x)	B18LH	0.08 +/- 0.02	Automotive, Industrial	250° C
Honda	Magni 568 LH ("T5A") 5110Z-T5AA-0000	Magni 568	Threaded Fasteners, Stamping and other Hardware	1500 Class 1	12-18 µ	Light Red	B06JA (2x)	B18LH	0.08 +/- 0.02	Automotive, Industrial	250° C
Honda	HES D2008-2B ("T2A") 9000Z-T2AA-A000 Honda calls this Magni 568 NH	Magni 568	Threaded Fasteners, Stamping and other Hardware	1500	12-18 µ	Light Blue	B06JA (2x)	B18NH	0.22 +/- 0.03	Automotive, Industrial	250° C
Honda	Magni 568 NH (B06JA + B18NH) ("T5A") 5110Z-T5AA-0000 Honda calls this Magni 568 NH	Magni 568	Threaded Fasteners, Stamping and other Hardware	1500 Class 1	12-18 µ	Light Blue	B06JA (2x)	B18NH	0.22 +/- 0.03	Automotive, Industrial	250° C
Honda	HES D2008-2A ("T2A") 9000Z-T2AA-A000 Magni 568 with B18PH	Magni 568	Threaded Fasteners, Stamping and other Hardware	1500	12-18 µ	Gray	B06JA (2x)	B18PH	0.18 +/- 0.03	Automotive	250° C
Honda	Magni 568 Black ("T5A") 5110-T5AA-0000 Also called Magni 568 Black	Magni 568	Threaded Fasteners, Stamping and other Hardware	1500 Class 1	12-18 µ	Black	B06JA (2x)	B37 (2x)	0.22 +/- 0.03	Automotive, Industrial	250° C

Honda	HES D2008-2D ("T2A") 9000Z-T2AA-A000 Honda calls this Magni 568 Black.	Magni 568	Threaded Fasteners, Stamping and other Hardware	1500	12-18 µ	Black	B06JA (2x)	B37NH (2x)	0.22 +/- 0.03	Automotive, Industrial	250° C
ISO	10683	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	Automotive	250° C
Jaguar LandRover	STJLR.50.5048-A1	Magni 560	Threaded Fasteners, Stamping and other Hardware	840	5-8 µ topcoat, 6-10 µ basecoat	Silver/Gray	Zinc plate with trivalent chrome	B18	0.15 +/- 0.03	All Markets	250° C
Jaguar LandRover	STJLR.50.5043-A1	Magni 565	Threaded Fasteners, Stamping and other Hardware	840	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
Jaguar LandRover	STJLR.50.5043-A3	Magni 567	Threaded Fasteners, Stamping and other Hardware	1500	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray, Green	B06JA (2x)	B18	0.15 +/- 0.03	All Markets	200° C
JCB	STD 00017	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
JLG Industries	4150701	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
John Deere	JDM F13 A,D, and G	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
John Deere	JDM F13 C,F, and J	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18L	0.08 +/- 0.02	All Markets	250° C
John Deere	JDM F13 B,E, and H	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18R	0.16 +/- 0.03	All Markets	250° C
John Deere	JDM F13 A2,D2, and G2	Magni 575	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Black	B06JA	B37	N/A	All Markets	250° C
John Deere	JDM F13C2, F2 and J2	Magni 575	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Black	B06JA	B37L	0.12 +/- 0.03	All Markets	250° C
John Deere	JDM F25	Magni 575	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Black	B06JA	B37L	0.12 +/- 0.03	All Markets	250° C
John Deere	JDM F13 B2, E2, and H2	Magni 575	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Black	B06JA	B37R	0.17 +/- 0.03	All Markets	250° C
Land Rover	LRES.21.ZS.05	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ plated basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
Manitowoc	6829104440	Magni 594	Threaded Fasteners, Stamping and other Hardware	720-1000	12-20 µ	Silver	B06JA	T06	0.12 +/- .03	All Markets	250° C
Mercury Marine	8M0057329	Magni 567	Threaded Fasteners, Stamping and other Hardware	1500	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray, Green	B06JA (2x)	B18	0.15 +/- 0.03	All Markets	200° C
Meritor	P92	Magni 511	Threaded Fasteners, Stamping and other Hardware	480	15-20 µ	Silver	B06JA	P04A	0.15 +/- 0.03*	Automotive, Industrial	250° C
Meritor	P91	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
MTD	87	Magni 575	Threaded Fasteners, Stamping and other Hardware	480-1000	12-20 µ	Black	D21	B37 (2x)	0.13 +/- 0.03	0	250° C
Navistar	TMS-4518, Type II	Magni 511	Threaded Fasteners, Stamping and other Hardware	480	15-20 µ	Silver	B06JA	P04A	0.15 +/- 0.03*	Automotive, Industrial	250° C
Navistar	TMS-4518, Type I	Magni 565	Threaded Fasteners, Stamping and other Hardware	720-1000	5 - 8µm Topcoat 10µm basecoat 8 -	Silver/Gray	B06JA	B18	0.15 +/- 0.03	Automotive	250° C
Nissan	NES M4601	Magni 565	Threaded Fasteners, Stamping and other Hardware	1000 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18R	0.16 +/- 0.03	All Markets	250° C

Nissan	NES M4601	Magni 567	Threaded Fasteners, Stamping and other Hardware	1500	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray, Green	B06JA (2x)	B18R	0.16 +/- 0.03	All Markets	200° C
Oshkosh Corp.	D60	Magni 575	Threaded Fasteners, Stamping and other Hardware	480-1000	12-20 µ	Black	D21	B37 (2x)	0.13 +/- 0.03	0	250° C
PACCAR	CS0059	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
Parker Hydraulics	PS-623	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Pink/purple	B06JA	B18PR	0.15 +/- 0.03	All Markets	250° C
Porsche	PTL 7529	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
PSA	B15 33 20	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18 / B18PS	0.15 +/- 0.03	All Markets	250° C
Renault	01-71-002	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18R	0.16 +/- 0.03	All Markets	250° C
Renault Trucks	01.71.4002	Magni 565	Threaded Fasteners, Stamping and other Hardware	1000	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18R	0.16 +/- 0.03	All Markets	250° C
Reyher	REY026_0 2017_01	Magni 565	Threaded Fasteners, Stamping and other Hardware	720-1000	8-10µ basecoat, 8-10µ topcoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
Senvion	Z-6.2-TS.00.99-B	Magni 565	Threaded Fasteners, Stamping and other Hardware	1000	8-10µ Base Coat, 8-10µ Top Coat	Silver/Gray	B06JA	B18E	0.11 +/- 0.03	Wind Industry	250° C
Subaru	TS430-09-012	Magni 565	Threaded Fasteners, Stamping and other Hardware	1000 hours	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18CC	0.24 +/- 0.03	Automotive	250° C
Subaru	TS430-09-012	Magni 565	Threaded Fasteners, Stamping and other Hardware	1000 hours	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18PH	0.18 +/- 0.03	Automotive	250° C
Subaru	TS430-09-012	Magni 565	Threaded Fasteners, Stamping and other Hardware	1000 hours	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	Automotive	250° C
Terex Corporation	GES 1326	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
Tesla Motors	TM-0010F-M	Magni 565	Threaded Fasteners, Stamping and other Hardware	850 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
Toro	DS-920	Magni 575	Threaded Fasteners, Stamping and other Hardware	480-1000	12-20 µ	Black					250° C
Toyota	TSH 7702G-D (Magni 565)	Magni 565	Threaded Fasteners, Stamping and other Hardware	1000	14-20 µ	Silver/Grey	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
Toyota	TSH7702G-DH (Magni 568 CC)	Magni 568	Threaded Fasteners, Stamping and other Hardware	1500	14-20 µ	Silver	B06JA (2x)	B18CC	0.24 +/- 0.03	Automotive	250° C
Toyota	TSH7702G-DM (Magni 568 LT)	Magni 568	Threaded Fasteners, Stamping and other Hardware	1500	14-20 µ	Light Red	B06JA (2x)	B18LT	0.11 +/- 0.03	Automotive	250° C
Toyota	TSH7702G-DG (Magni 568 Black)	Magni 568	Threaded Fasteners, Stamping and other Hardware	1500	14-20 µ	Black	B06JA (2x)	B37NT	0.24 +/- 0.03	Automotive	250° C
Trane	S 3201063A1	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B17T	0.15 +/- 0.03	All Markets	0
Trane	S 3201063A1	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	250° C
TRW	TS 2-25-60, Class B	Magni 511	Threaded Fasteners, Stamping and other Hardware	480	15-20 µ	Silver	B06Ja	P04A	0.15 +/- 0.03*	Automotive, Industrial	250° C

TRW	TS 2-25-60, Class A	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	13 µ	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	0
U.S. Army TACOM	12469117	Magni 560	Threaded Fasteners, Stamping and other Hardware	1000	5-8 µ topcoat, 6-10 µ basecoat	Silver/Gray	Zinc plate with trivalent chrome	B18	0.15 +/- 0.03	All Markets	250° C
U.S. Army TACOM	12469117	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	0
Volkswagen	C 641 (TL 217), C 347 (TL 217/black)	Magni 560	Threaded Fasteners, Stamping and other Hardware	1000	5-8 µ topcoat, 6-10 µ basecoat	Silver/Gray	Zinc plate with trivalent chrome	B18	0.15 +/- 0.03	All Markets	250° C
Volkswagen	TL 233 Off-I330	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	All Markets	0
Volkswagen	TL233 Off-I330	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Black/other	D21	B18	0.15 +/- 0.03	Automotive	250° C
Volvo	VCS 5737, 29	Magni 560	Threaded Fasteners, Stamping and other Hardware	1000	5-8 µ topcoat, 6-10 µ basecoat	Silver/Gray	Zinc plate with trivalent chrome	B18	0.15 +/- 0.03	All Markets	250° C
Volvo	VCS 5737, 29, .19	Magni 565	Threaded Fasteners, Stamping and other Hardware	720 minimum	5-8 µ topcoat, 8-10 µ basecoat	Silver/Gray	B06JA	B18	0.15 +/- 0.03	Automotive	250° C
Arvin Meritor	P104-A	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	600h	6-8 µ basecoat	Silver	KL 100 (2x)		N/A	Automotive	
Arvin Meritor	P104-B	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	1000h	6-8 µ basecoat	Silver	KL 100 (2x)		N/A	Automotive	
Arvin Meritor	P104-D	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	600h to 1000h	6-8 µ basecoat, 4-10 µ topcoat	Various	KL 100 (2x)	DELTA®-SEAL SILBER DELTA®-SEAL SCHWARZ	0.13 +/- 0.03	Automotive	
Arvin Meritor	P104-E	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	600h to 1000h	6-8 µ basecoat, 4-10 µ topcoat	Various	KL 100 (2x)	DELTA®-SEAL GZ SILBER DELTA®-SEAL GZ SCHWARZ	0.13 +/- 0.03	Automotive	
Arvin Meritor	P104-G	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	600h to 1000h	6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL 100 (2x)	VH 301 GZ	0.11 +/- 0.03	Automotive	
Arvin Meritor	P104-H	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	600h to 1000h	7 - 9 µ basecoat, 2 - 3µ topcoat	Silver/Gray	KL 100 (2x)	VH 302 GZ	0.14 +/- 0.03	Automotive	
BMW	GS 90010	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	480h	6-8 µ basecoat	Silver	KL 100 or KL 120 (2x)		N/A	Automotive	
BMW	GS 90010	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	720h	6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL 100 (2x)	VH 301.1 GZ	0.11 +/- 0.03	Automotive	
Bossard North America	EV-001	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	840h	6-8 µ basecoat, 4-10 µ topcoat	Silver/Gray	KL 100 (2x)	DELTA®-SEAL GZ SILBER	0.13 +/- 0.03	Automotive	
Bossard North America	EV-001	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	840h	6-8 µ basecoat, 4-10 µ topcoat	Black	KL 100 (2x)	DELTA®-SEAL GZ SCHWARZ	0.13 +/- 0.03	Automotive	
Daimler	DBL 8440	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	720h	6-8 µ basecoat	Silver	KL 100 or KL 120 (2x)			Automotive	
Daimler	DBL 8440	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	480h	6-8 µ basecoat, 4-10 µ topcoat	Black	KL 100 or KL 120 (2x)	DELTA®-SEAL SCHWARZ DELTA®-SEAL GZ SCHWARZ	0.13 +/- 0.03	Automotive	
Daimler	DBL 8440	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	480h	6-8 µ basecoat, 4-10 µ topcoat	Silver/Gray	KL 100 or KL 120 (2x)	DELTA®-SEAL SILBER DELTA®-SEAL GZ SILBER	0.13 +/- 0.03	Automotive	
Daimler	DBL 8440	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	480h	6-8 µ basecoat, 4-10 µ topcoat	Black	KL 100 or KL 120 (2x)	DELTA®-SEAL GZ SCHWARZ	0.13 +/- 0.03	Automotive	
Daimler	DBL 8440	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	720h	6-8 µ basecoat	Silver	KL 100 or KL 120 (2x)			Automotive	

Daimler	DBL 8440	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	480h	6-8 µ basecoat, 4-10 µ topcoat	Black	KL 100 or KL 120 (2x)	DELTA®-SEAL SCHWARZ DELTA®-SEAL GZ SCHWARZ	0.13 +/- 0.03	Automotive
Daimler	DBL 8440	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	240h	6-8 µ basecoat, 4-10 µ topcoat	Silver/Gray	KL 100 or KL 120 (2x)	DELTA®-SEAL GZ SILBER	0.13 +/- 0.03	Automotive
Daimler	DBL 8440	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware		6-8 µ basecoat, 4-10 µ topcoat	Black	KL 100 or KL 120 (2x)	DELTA®-SEAL GZ SCHWARZ	0.13 +/- 0.03	Automotive
Daimler	DBL 8440	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	1200h	6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL 120 (2x)	VH 301.1 GZ	0.11 +/- 0.03	Automotive
Daimler	DBL 9440	DELTA-PROTEKT®	Fasteners less than M6	720h	6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL 100 or KL 120 (2x)	VH 301.1 GZ	0.11 +/- 0.03	Automotive
Daimler	DBL 9440	DELTA-PROTEKT®	Fasteners greater than M6	720h	6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL 100 or KL 120 (2x)	VH 301.1 GZ	0.11 +/- 0.03	Automotive
Daimler	DBL 9440	DELTA-PROTEKT®	Fasteners less than M6	480h	6-8 µ basecoat, 4-10 µ topcoat	Black	KL 100 or KL 120 (2x)	DELTA®-SEAL GZ SCHWARZ	0.13 +/- 0.03	Automotive
Daimler	DBL 9440	DELTA-PROTEKT®	Fasteners greater than M6	480h	6-8 µ basecoat, 4-10 µ topcoat	Black	KL 100 or KL 120 (2x)	DELTA®-SEAL GZ SCHWARZ	0.13 +/- 0.03	Automotive
Daimler	DBL 9440	DELTA-PROTEKT®	Fasteners less than M6	720h	6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL 120 (2x)	VH 301.1 GZ	0.11 +/- 0.03	Automotive
Daimler	DBL 9440	DELTA-PROTEKT®	Fasteners greater than M6	720h	6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL 120 (2x)	VH 301.1 GZ	0.11 +/- 0.03	Automotive
Daimler	DBL 9440	DELTA-PROTEKT®	Fasteners greater than M14 for trucks	720h	6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL 120 (2x)	VH 301.1 GZ	0.11 +/- 0.03	Automotive
Daimler	DBL 9440	DELTA-PROTEKT®	Fasteners (All Sizes)	720h	6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL 120 *apply patching material prior to topcoat	VH 301.1 GZ	0.11 +/- 0.03	Automotive
Daimler	DBL 9441	DELTA-PROTEKT®	Tapping Screws for Sheet Metal and Plastic	720h	6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL 100 or KL 120 (2x)	DELTA®-SEAL GZ SILBER DELTA-PROTEKT® VH 301.1 GZ	0.11 +/- 0.03	Automotive
Daimler	DBL 9441	DELTA-PROTEKT®	Tapping Screws for Sheet Metal and Plastic	720h	6-8 µ basecoat, 4-10 µ topcoat	Black	KL 120 (2x)	DELTA®-SEAL GZ SCHWARZ	0.13 +/- 0.03	Automotive
Daimler	DBL 9441	DELTA-PROTEKT®	Tapping Screws for Sheet Metal and Plastic	720h	6-8 µ basecoat, 4-10 µ topcoat	Black	KL 120 (2x)	DELTA®-SEAL GZ SCHWARZ	0.13 +/- 0.03	Automotive
FCA	9.57513	DELTA-PROTEKT®	TYPE I	480h	6-8 µ basecoat	Silver	KL100 (2x)			Automotive
FCA	9.57513	DELTA-PROTEKT®	TYPE V	480h	6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL100 (2x)	DELTA®-SEAL GZ SILBER DELTA-PROTEKT® VH 301 GZ	0.11 +/- 0.03	Automotive
FCA	9.57513	DELTA-PROTEKT®	TYPE IV	720h	6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL100 (2x)	DELTA®-SEAL GZ SILBER DELTA-PROTEKT® VH 301 GZ	0.11 +/- 0.03	Automotive
FCA	9.57513	DELTA-PROTEKT®	TYPE VIII	720h	6-8 µ basecoat	Silver	KL100 (2x)			Automotive
FCA	PS-10633	DELTA-PROTEKT®	Stampings Large Parts Rivets	720h	6 - 8 µ basecoat, 1 - 4 µ topcoat	Various	KL 100 or KL 105 (2x)	DELTA-PROTEKT® VH 301.1 GZ DELTA®-SEAL GZ SILBER	0.11 +/- 0.03	Automotive
(Color as specified)										
FCA	PS-11036	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	1008	6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL 105 (2x)	VH 301.1 GZ	0.11 +/- 0.03	Automotive
Ford	WSD-M21P10-B2 (Current S303)	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	120h	6-8 µ basecoat, 4-10 µ topcoat	Black	KL 100 (2x)	DELTA®-SEAL GZ SCHWARZ	0.13 +/- 0.03	Automotive
Ford	WSD-M21P11-B2 (Current S307)	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	480h	6-8 µ basecoat, 4-10 µ topcoat	Black	KL 100 (2x)	DELTA®-SEAL GZ SCHWARZ	0.13 +/- 0.03	Automotive
Ford	WSS-M21P42-A1	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	840h	6-8 µ basecoat, 4-10 µ topcoat	Silver/Gray	KL 100 (2x)	DELTA®-SEAL GZ SILBER	0.13 +/- 0.03	Automotive

Ford	WSS-M21P42-A2	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	840h	6-8 µ basecoat, 4-10 µ topcoat	Black	KL 100 (2x)	DELTA®-SEAL GZ SCHWARZ	0.13 +/- 0.03	Automotive
Ford	WSS-M21P42-A3 (Current S442)	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	840h	6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL 100 (2x)	VH 302 GZ	0.15 +/- 0.03	Automotive
General Motors	GMW 3359	DELTA-PROTEKT®	Externally and Internally threaded fasteners M6 or larger, and other ferrous parts	720h	6-8 µ basecoat, 4-10 µ topcoat	Silver/Gray	KL 100 (2x)	DELTA®-SEAL GZ SILBER	0.13 +/- 0.03	Automotive
General Motors	GMW 3359	DELTA-PROTEKT®	Externally and Internally threaded fasteners M6 or larger, and other ferrous parts	480h	6-8 µ basecoat, 4-10 µ topcoat	Silver/Gray	KL 100 (2x)	DELTA®-SEAL GZ SILBER	0.13 +/- 0.03	Automotive
General Motors	GMW 3359	DELTA-PROTEKT®	Externally and Internally threaded fasteners M6 or larger, and other ferrous parts	240h	6-8 µ basecoat, 4-10 µ topcoat	Silver/Gray	KL 100 (2x)	DELTA®-SEAL GZ SILBER	0.13 +/- 0.03	Automotive
General Motors	GMW 3359	DELTA-PROTEKT®	Externally and Internally threaded fasteners M6 or larger, and other ferrous parts	720h	6-8 µ basecoat, 4-10 µ topcoat	Black	KL 100 (2x)	DELTA®-SEAL GZ SCHWARZ	0.13 +/- 0.03	Automotive
General Motors	GMW 3359	DELTA-PROTEKT®	Externally and Internally threaded fasteners M6 or larger, and other ferrous parts	480h	6-8 µ basecoat, 4-10 µ topcoat	Black	KL 100 (2x)	DELTA®-SEAL GZ SCHWARZ	0.13 +/- 0.03	Automotive
General Motors	GMW 3359	DELTA-PROTEKT®	Externally and Internally threaded fasteners M6 or larger, and other ferrous parts	240h	6-8 µ basecoat, 4-10 µ topcoat	Black	KL 100 (2x)	DELTA®-SEAL GZ SCHWARZ	0.13 +/- 0.03	Automotive
OPEL	GME 00255	DELTA-PROTEKT®		GMI 60206 -K-Grade 3 =288h	6-8 µ basecoat	Silver	KL 100 (2x)			Automotive
OPEL	GME 00255	DELTA-PROTEKT®		GMI 60206 -K-Grade 3 =288h	6-8 µ basecoat, 4-10 µ topcoat	Silver/Gray	KL 100 (2x)	DELTA®-SEAL	0.13 +/- 0.03	Automotive
OPEL	GME 00255	DELTA-PROTEKT®		GMI 60206 -E-Grade 1 =72h	6-8 µ basecoat, 4-10 µ topcoat	Silver/Gray	KL 100 (2x)	DELTA®-SEAL GZ	0.13 +/- 0.03	Automotive
OPEL	GME 00255	DELTA-PROTEKT®		GMI 60206 -K-Grade 3 =288h	6-8 µ basecoat, 4-10 µ topcoat	Silver/Gray	KL 100 (2x)	DELTA®-SEAL GZ	0.13 +/- 0.03	Automotive
OPEL	GME 00255	DELTA-PROTEKT®		GMI 60206 -K-Grade 3 =288h	6-8 µ basecoat, 4-10 µ topcoat	Silver/Gray	KL 100 (2x)	DELTA-PROTEKT® VH 302 GZ	0.15 +/- 0.03	Automotive
Hyundai-Kia	MS 619-08	DELTA-PROTEKT®	Torque Coefficient Type C	1000h	6-8 µ basecoat, 4-10 µ topcoat	Silver/Gray	KL 120 (2x)	DELTA®-SEAL GZ SILBER	0.13 +/- 0.03	Automotive
Jaguar Land Rover	STJLR.50.5045	DELTA-PROTEKT®		840h	6-8 µ basecoat, 4-10 µ topcoat	Silver/Gray	KL 100 (2x)	DELTA®-SEAL GZ SILBER	0.13 +/- 0.03	Automotive
Jaguar Land Rover	STJLR.50.5045	DELTA-PROTEKT®		840h	6-8 µ basecoat, 4-10 µ topcoat	Black	KL 100 (2x)	DELTA®-SEAL GZ SCHWARZ	0.13 +/- 0.03	Automotive
Jaguar Land Rover	STJLR.50.5045	DELTA-PROTEKT®		840h	6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL 100 (2x)	VH 302 GZ	0.15 +/- 0.03	Automotive
Jaguar Land Rover	STJLR.50.5052	DELTA-PROTEKT®		480h	6-8 µ basecoat, 4-10 µ topcoat	Black	KL 100 (2x)	DELTA®-SEAL GZ SCHWARZ	0.13 +/- 0.03	Automotive
Krone	KWN 01 200 (ZLÜ)	DELTA-PROTEKT®		960h	6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL 100 (2x)	VH 302 GZ	0.15 +/- 0.03	Automotive
Navistar	TMS-4518 (Type 1)	DELTA-PROTEKT®	Greater than M6 for clips and externally threaded fasteners	840h	6-8 µ basecoat, 4-10 µ topcoat	Silver/Gray	KL 100 (2x)	DELTA®-SEAL GZ SILBER	0.13 +/- 0.03	Automotive
Navistar	TMS-4518 (Type 2)	DELTA-PROTEKT®	Greater than M6 for internally threaded fasteners	480h	6-8 µ basecoat, 4-10 µ topcoat	Silver/Gray	KL 100 (2x)	DELTA®-SEAL GZ SILBER	0.13 +/- 0.03	Automotive
NISSAN	M4601	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	1000h	6-8 µ basecoat, 4-10 µ topcoat	Silver/Gray	KL 101 (2x)	DELTA®-SEAL GZ	0.13 +/- 0.03	Automotive
PSA (Peugeot-Citroen)	B153320	DELTA-PROTEKT®		48h	6-8 µ basecoat	Silver	KL 100 (2x)			Automotive
PSA (Peugeot-Citroen)	S84 4107	DELTA-PROTEKT®		500h	6-8 µ basecoat	Silver	KL 120 (2x)			Automotive

Renault	39 - 02 - 837 / -3	DELTA-PROTEKT®		600h w/ thermal aging for 2h at 120°C	6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL 100 (2x)	VH 301.1 GZ	0.11 +/- 0.03	Automotive
Renault-Nissan	RNES-B-00059	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	1000h	6-8 µ basecoat, 4-10 µ topcoat	Silver/Gray	KL 100 or KL 120 (2x)	DELTA®-SEAL GZ SILBER	0.13 +/- 0.03	Automotive
SAF HOLLAND	Technical Specification	DELTA-PROTEKT®	Standard fasteners w/ Friction Control	480h	6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL 100 (2x)	VH 301.1 GZ	0.11 +/- 0.03	Automotive
SAF HOLLAND	Technical Specification	DELTA-PROTEKT®	Standard fasteners Sealed Black	480h	6-8 µ basecoat, 4-10 µ topcoat		KL 100 (2x)	DELTA®-SEAL GZ SCHWARZ	0.13 +/- 0.03	Automotive
SAF HOLLAND	Technical Specification	DELTA-PROTEKT®	Standard fasteners Sealed Colorless	480h	6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL 100 (2x)	VH 302 GZ	0.11 +/- 0.03	Automotive
Scania	STD 4165 (B3)	DELTA-PROTEKT®			6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL 120 (2x)	VH 301.1 GZ	0.11 +/- 0.03	Automotive
Scania	STD 4165 (C3, D3)	DELTA-PROTEKT®			6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL 100 (2x)	DELTA®-SEAL GZ SILBER DELTA-PROTEKT® VH 301 GZ DELTA-PROTEKT® VH 300 DELTA®-SEAL GZ SILBER DELTA-SEAL GZ SCHWARZ DELTA-PROTEKT® VH 302 GZ	0.11 +/- 0.03	Automotive
TATA Motors Ltd	SS 8457 S1	DELTA-PROTEKT®		240h	6 - 8 µ basecoat, 1 - 4 µ topcoat	Various	KL 120 (2x)	DELTA®-SEAL GZ SILBER DELTA-SEAL GZ SCHWARZ DELTA-PROTEKT® VH 302 GZ	0.13 +/- 0.03	Automotive
TATA Motors Ltd	SS 8457 S1	DELTA-PROTEKT®		500h	6 - 8 µ basecoat, 1 - 4 µ topcoat	Various	KL 120 (2x)	DELTA®-SEAL GZ SILBER DELTA-SEAL GZ SCHWARZ DELTA-PROTEKT® VH 302 GZ	0.13 +/- 0.03	Automotive
TATA Motors Ltd	SS 8457 S1	DELTA-PROTEKT®		1000h	6 - 8 µ basecoat, 1 - 4 µ topcoat	Various	KL 120 (2x)	DELTA®-SEAL GZ SILBER DELTA-SEAL GZ SCHWARZ DELTA-PROTEKT® VH 302 GZ	0.13 +/- 0.03	Automotive
TESLA	TM-0010F-M	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	850h	6-8 µ basecoat, 4-10 µ topcoat	Silver/Gray	KL 100 or KL 120 (2x)	DELTA®-SEAL GZ	0.13 +/- 0.03	Automotive
TESLA	TM-0010F-M	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	720h	6-8 µ basecoat, 4-10 µ topcoat	Silver/Gray	KL 100 or KL 120 (2x)	DELTA®-SEAL GZ	0.13 +/- 0.03	Automotive
TESLA	TM-0010F-M	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware	480h	6-8 µ basecoat, 4-10 µ topcoat	Silver/Gray	KL 100 or KL 120 (2x)	DELTA®-SEAL GZ	0.13 +/- 0.03	Automotive
Volvo Car Corporation	VCS 5737,19	DELTA-PROTEKT®	Threaded Fasteners, Stamping and other Hardware		6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL 100 (2x)	VH 302 GZ	0.15 +/- 0.03	Automotive
Volkswagen	TL 245	DELTA-PROTEKT®		480h	6-8 µ basecoat	Silver	KL 100 or KL 120 (2x)			Automotive
Volkswagen	TL 245	DELTA-PROTEKT®		480h	6-8 µ basecoat		KL 100 (2x)			Automotive
Volkswagen	TL 245	DELTA-PROTEKT®	Fasteners	720h (Threaded parts 600h) 96h at 180°C: 480h w/ thermal aging	6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL 100 or KL 120 (2x)	VH 301.1 GZ	0.11 +/- 0.03	Automotive
Volkswagen	TL 233	DELTA-PROTEKT®		240h (120h for threaded region) with and without thermal aging for 96h at 180C	6-8 µ basecoat, 4-10 µ topcoat	Silver/Gray	KL 100 or KL 120 (2x)	DELTA®-SEAL GZ	0.13 +/- 0.03	Automotive
Volkswagen	TL 233	DELTA-PROTEKT®		480h (240h for threaded region) with and without thermal aging for 96h at 180C	6-8 µ basecoat, 4-10 µ topcoat	Silver/Gray	KL 100 or KL 120 (2x)	DELTA®-SEAL GZ	0.13 +/- 0.03	Automotive
Würth	WIS-LV-003 (ZFSLH)	DELTA-PROTEKT®	M4 and M5 diameters	240h	6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL 100	VH 301 GZ	0.11 +/- 0.03	Automotive
Würth	WIS-LV-003 (ZFSLH)	DELTA-PROTEKT®	Greater than M6 diameter	480h	6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL 100 (2x)	VH 301 GZ	0.11 +/- 0.03	Automotive
Würth	WIS-LV-003 (ZFSLH)	DELTA-PROTEKT®	Greater than M6 diameter	720h	6 - 8 µ basecoat, 1 - 4 µ topcoat	Silver/Gray	KL 100 (2x)	VH 301 GZ	0.11 +/- 0.03	Automotive